- 1 HB114
- 2 173458-1
- 3 By Representative Hanes
- 4 RFD: Public Safety and Homeland Security
- 5 First Read: 03-FEB-16

173458-1:n:02/03/2016:KBH/tj LRS2016-444 1 2 3 4 5 6 7 8 SYNOPSIS: Under existing law, the State Fire Marshal 9 may issue permits in the name of the fire 10 protection sprinkler contractor with the name of the certificate holder noted on the permit. 11 This bill would allow the State Fire Marshal 12 13 to issue permits to certain fire protection 14 sprinkler contractors. 15 This bill would create the Fire Prevention, 16 Protection, and Sprinkler System Advisory Board and 17 would provide for its membership and duties. 18 This bill would require the State Fire 19 Marshal to collect and publish data on all 20 structural fires in Alabama and would require the 21 State Fire Marshal to make that information 22 available to the public on the website of the State 23 Fire Marshal. 24 25 A BILL 26 TO BE ENTITLED 27 AN ACT

To amend Sections 34-33-1, 34-33-2, 34-33-3, 2 34-33-4, and 34-33-5, Code of Alabama 1975, relating to fire 3 protection and fire protection sprinkler systems; to allow the 4 5 State Fire Marshal to issue permits to certified potable water single family dwelling fire protection sprinkler contractors; 6 7 to create the Fire Prevention, Protection, and Sprinkler System Advisory Board; to provide for membership and duties of 8 the board; and to require the State Fire Marshal to collect 9 10 and publish certain data and make the information available on the website of the State Fire Marshal. 11 12 BE IT ENACTED BY THE LEGISLATURE OF ALABAMA: Section 1. Sections 34-33-1, 34-33-2, 34-33-3, 13 34-33-4, and 34-33-5, Code of Alabama 1975, are amended to 14 15 read as follows: "§34-33-1. 16 17 "For purposes of this chapter, the following words 18 and phrases shall have the meanings respectively ascribed in this section: 19 20 "(3)(1) CERTIFICATE HOLDER. An individual who is 21 listed on the State Fire Marshal's permit as the responsible 22 managing owner, partner, officer or employee who is actively 23 in charge of the work of the certified fire protection 24 sprinkler contractor or the certified potable water single 25 family dwelling fire protection sprinkler contractor.

1

"(2) CERTIFIED FIRE PROTECTION SPRINKLER CONTRACTOR.
 A fire protection sprinkler contractor who has qualified and
 received a permit from the State Fire Marshal.

4 "(3) CERTIFIED POTABLE WATER SINGLE FAMILY DWELLING
5 FIRE PROTECTION SPRINKLER CONTRACTOR. A potable water single
6 family dwelling fire protection sprinkler contractor who has
7 qualified and received a permit from the State Fire Marshal.

8 "(1)(4) FIRE PROTECTION SPRINKLER CONTRACTOR. An 9 individual, partnership, corporation, association, or joint 10 venture engaged in the business of installation, repair, 11 alteration, addition, maintenance, or inspection of fire 12 protection sprinkler systems. This does not include local 13 building officials, fire inspectors, or insurance inspectors 14 when acting in their official capacity.

"(5) FIRE PROTECTION SPRINKLER SYSTEM. A An 15 integrated system of underground and overhead piping designed 16 17 in accordance with fire protection engineering standards. The 18 system is supplied from a reliable, constant and sufficient 19 water supply, such as a gravity tank, fire pump, reservoir or 20 pressure tank, and/or connection by underground piping to a 21 city main. The portion of the sprinkler system above ground is 22 considered the fire protection sprinkler system for purposes 23 of this chapter, and is a network of specially sized or 24 hydraulically designed piping installed in a building, 25 structure, or area, generally overhead, and to which 26 sprinklers are connected in a systematic pattern. The system 27 includes a controlling valve and device for actuating an alarm

when the system is in operation. The installation includes a 1 2 minimum of one automatic water supply which supplies one or more systems. The portion of the sprinkler system above ground 3 is a network of specially sized or hydraulically designed 4 5 piping installed in a building, structure, or area, generally overhead, and to which sprinklers are attached in a systematic 6 7 pattern. Each system has a control valve located in the system riser or its supply piping. Each sprinkler system includes a 8 device for actuating an alarm when the system is in operation. 9 10 The system is usually activated by heat from a fire and 11 discharges water over the fire area. Fire protection sprinkler 12 systems shall include the following types: Wet-pipe systems, dry-pipe systems, pre-action systems, deluge systems, combined 13 dry-pipe and pre-action systems, antifreeze systems, and 14 circulating closed loop systems, all as defined in National 15 16 Fire Protection Association Pamphlet Code 13, Standard for the 17 Installation of Sprinkler Systems, latest edition, National 18 Fire Protection Code 13R, Standard for Sprinkler Systems in Residential Occupancies up to and including Four Stories in 19 20 Height, latest edition; or National Fire Protection Association Pamphlet Code 13D, Standard for the Installation 21 22 of Sprinkler Systems in One and Two Family Dwellings and 23 Mobile Homes, latest edition.

24 "(6) POTABLE WATER SINGLE FAMILY DWELLING FIRE
 25 PROTECTION SPRINKLER CONTRACTOR. An individual, partnership,
 26 corporation, association, or joint venture engaged in the
 27 business of installation, repair, alteration, addition,

1	<u>maintenance, or inspection of a fire protection sprinkler</u>
2	system in a single family dwelling using potable water and
3	installed in accordance with the provisions of NFPA 13D,
4	latest edition.
5	"(7) SINGLE FAMILY DWELLING. Any dwelling covered in
6	the scope of the International Residential Code, latest
7	edition.
8	" (4)<u>(</u>8) STATE FIRE MARSHAL'S PERMIT. The form issued
9	by the State Fire Marshal to a fire protection sprinkler
10	contractor or potable water single family dwelling fire
11	protection sprinkler contractor upon application being
12	approved and fee paid. The permit shall be issued in the name
13	of the fire protection sprinkler contractor, with the name of
14	the certificate holder noted thereon.
15	"§34-33-2.
16	"The administration of this chapter is vested in the
17	State Fire Marshal who shall have the power <u>to make rules in</u>
18	relation to potable water single family dwelling fire
19	protection sprinkler contractor training and for weekly fire
20	pump testing, and to set or make changes in the amount of the
21	fee fees charged as necessary for the administration and
22	enforcement of this chapter.
23	"§34-33-3.
24	"It shall be unlawful for any individual,
25	partnership, corporation, association, or joint venture to
26	engage in the business of installation, repair, alteration,
27	addition, maintenance, or inspection of a fire protection

sprinkler system or a potable water single family dwelling 1 2 fire protection sprinkler system in this state except in conformity with the provisions of this chapter. Nothing in 3 this chapter, however, shall be construed to apply to fire 4 5 protection sprinkler system owners who employ registered professional fire protection engineers, and skilled workers 6 who regularly and routinely design, install, repair, alter, 7 8 add to, maintain, and inspect sprinkler systems on and within the premises of their employer, provided such systems are for 9 10 the owners' use only.

11

"§34-33-4.

"(a) Any individual, partnership, corporation, 12 13 association, or joint venture desiring to engage in the business of fire protection sprinkler contractor shall submit 14 15 to the State Fire Marshal on standard forms provided by the 16 State Fire Marshal a completed application. The applicant 17 shall include a fee of \$100.00 when making the application. 18 The applicant shall designate in the application the name of 19 the proposed certificate holder and provide written proof that 20 such individual has passed a competency test administered by the National Institute for Certification in Engineering 21 22 Technology (NICET) as a Fire Protection Layout Technician -23 Level III. A copy of the NICET letter of notification that the 24 proposed certificate holder has passed the competency test 25 shall be sufficient written proof. The State Fire Marshal, 26 shall issue, upon receipt of the application and fee, shall 27 issue a State Fire Marshal's Permit to a fire protection

sprinkler contractor who has a current State Fire Marshal's 1 Permit, or who produces evidence of having a current state 2 permit from another state, if such state shall have entered 3 4 into an agreement of reciprocity with the State of Alabama. 5 "(b) Any individual, partnership, corporation, association, or joint venture desiring to engage in the 6 7 potable water single family dwelling fire sprinkler business 8 shall submit to the State Fire Marshal on standard forms provided by the State Fire Marshal a completed application. 9 10 The application shall include a nonrefundable fee of one hundred dollars (\$100), which shall be paid by the applicant 11 12 when making the application. The applicant shall designate in the application the name of the proposed certificate holder 13 14 and provide written proof that such individual holds a valid 15 master plumber certification issued by the Alabama Plumbers 16 and Gas Fitters Examining Board and has completed and passed a 17 competency test on the installation of a potable water single 18 family dwelling fire sprinkler system given by the State Fire Marshal. The State Fire Marshal, upon receipt of the properly 19 20 completed application and fee, shall issue a State Fire Marshal's permit. 21 "§34-33-5. 22

"If the required fee has been paid, satisfactory written proof from NICET has been provided that the competency test was passed when required by this chapter meeting the requirements set forth in this chapter for the requested permit has been provided, and the proposed certificate holder 1 <u>is</u> found to be at present a responsible, managing owner,
2 partner, officer, or employee of the fire protection sprinkler
3 contractor, the State Fire Marshal shall, within 30 days,
4 <u>shall</u> issue a State Fire Marshal's permit in the name of the
5 fire protection sprinkler contractor with the name of the
6 certificate holder noted thereon."

Section 2. Nothing in this act is intended to
authorize the State Fire Marshal to require the installation
of any fire protection sprinkler system in any single family
dwelling.

Section 3. (a) There is established the Fire
Prevention, Protection, and Sprinkler System Advisory Board,
which shall have seven members as follows:

14 (1) A member appointed by the Associated Builders15 and Contractors of Alabama.

16 (2) A member appointed by the Alabama Fire17 Sprinklers Association.

18 (3) A member appointed by the Home Builders19 Association of Alabama.

20 (4) A member appointed by the Alabama Plumbers and
21 Gas Fitters Examining Board.

(5) A local municipal or county building officialappointed by the Governor.

(6) A member who is a certified firefighter employed
by a paid fire department or a certified volunteer firefighter
who is a member of a volunteer fire department, appointed by
the President Pro Tempore of the Senate.

1 (7) The State Fire Marshal shall serve as an ex 2 officio, non-voting member, shall serve as the secretary of 3 the board, shall keep a record of the proceedings of all board 4 meetings, and shall perform other duties as delegated by the 5 board.

6 (b) Within 60 days after the effective date of this 7 act, the State Fire Marshal shall convene a meeting of the 8 board, and the members of the board shall select a chair and 9 other officers of the board. After the initial meeting, the 10 board shall meet not less than two times a year or at the call 11 of the chair.

(c) The board may establish committees among its
membership, as it deems necessary, to assist in the conduct of
its business.

(d) The board shall have sole authority to review
and approve any curriculum used in the process of training and
certification of potable water single family dwelling fire
protection sprinkler contractors.

(e) In addition to the functions set forth in thisact, the board may perform any of the following functions:

(1) Review and make recommendations to the State
Fire Marshal in regard to changes to the rules or laws
pertaining to potable water single family dwelling fire
sprinkler systems.

(2) Make continuing studies, on its own initiative
or upon the request of the Department of Insurance, on the

1 effectiveness of enacted or proposed fire protection or 2 prevention regulations.

3 (3) Make rules and regulations for the conduct of
4 its board meetings, procedures, and execution of the purpose,
5 functions, powers, and duties delegated to it by this act.

6 Section 4. (a) The State Fire Marshal shall collect 7 and publish data on all structural fires in Alabama in a 8 report that includes all of the following information:

9

(1) The type of structure.

10

(2) The age of the structure.

11 (3) The code enforced when the structure was 12 constructed.

13

(4) The cause of the fire.

14 (5) Whether the cause of the fire was the result of15 a criminal or suspicious event.

16 (6) The materials used in the construction of the17 structure.

18 (7) The type and amount of damage to the structure.

19 (8) The type and number of functional smoke20 detectors and fire sprinklers installed in the structure.

(b) The Fire Prevention, Protection, and Sprinkler
System Advisory Board may direct the State Fire Marshal to
include additional information in the report as it deems
necessary.

(c) (1) All information collected pursuant to this
section shall be made available to the public, free of charge,
on the website of the State Fire Marshal.

(2) The information shall be recorded and published
 on a monthly basis and maintained thereafter in a sortable
 electronic format on the website of the State Fire Marshal.
 Section 5. This act shall become effective on the
 first day of the third month following its passage and
 approval by the Governor, or its otherwise becoming law.